

CY 2025 Real World Testing Plan for E-Health Partners

Executive Summary

This is the real world test plan for CY 2025 for E-Health Partners EHRez certified EHR solution. As with last year's plan, it provides the real world test measurements and metrics that meet the intent and objectives of ONC's Condition of Certification and Maintenance of Certification requirement for real world testing (§ 170.405 Real world testing). We believe these test methods will be appropriate and valuable in accessing certification criteria and interoperability of exchanging electronic health information (EHI) within the care and practice setting of customers.

We have included our timeline and milestones for completing the real world testing in CY 2025, and information about compliance with the USCDI v1 and SVAP updates.

Developer Attestation

This Real World Testing plan is complete with all required elements, including measures that address all certification criteria and care settings. All information in this plan is up to date and fully addresses the health IT developer's Real World Testing requirements.

Authorized Representative Name: Francis Berrios

Authorized Representative Email: fberrios@ehrez.com

Authorized Representative Phone: (787) 619-8783

Authorized Representative Signature:

A handwritten signature in black ink, appearing to read "Francis Berrios", is centered below the signature label. The signature is fluid and cursive.

DATE: 11/5/2024

Executive Summary.....	1
Developer Attestation.....	2
General Information	4
Timeline and Milestones for Real World Testing CY 2025.....	5
Standards Updates (SVAP)	6
Real World Testing Measurements	7
Testing Methodologies	7
Care and Practice Settings Targeted.....	7
Summary of Measure Use Case Approach	8
RWT Measure #1. Number of NewRx Prescriptions Messages Successfully Sent	9
RWT Measure #2. Number of Patients Given Access to Portal	10
RWT Measure #3. Number of Patients Who Accessed/Logged in to Portal	11
RWT Measure #4. Number of Downloads from Patient Portal	12
RWT Measure #5. Number of Email Transmissions from Patient Portal	13
RWT Measure #6. Number of Transition of Care C-CDAs Successfully Sent	15
RWT Measure #7. Number of C-CDAs Received and/or Incorporated.....	17
RWT Measure #8. Number of API Client Applications Connected to our EHR.....	19
RWT Measure #9. Number of EHI Exports Run	20
RWT Measure #10. What are the number of and specific Quality Measures Successfully Reported on to regulatory agencies each year?.....	22
RWT Measure #11. Do you connect with IIS/immunization registries? If so, how many transmissions do you send monthly? If not, when do you expect to connect to an IIS (Within next year, next 1-2 years, next 3-5 years, don't know)?	24
RWT Measure #12. Do you use Direct messaging for provider communication? If yes, how often do you use it each month, and if not, how do you otherwise share clinical information with other providers. If not, what would be needed to utilize Direct in real world communicatin, if anything?	26

General Information

Developer Name: E-Health Partners, Inc.

Product Name(s): EHRez

Version Numbers(s): 5.0

Certified Health IT Criteria: 315(b)(1)-(3), (b)(10); (c)(1)-(3); (e)(1); (f)(1); (g)(7), (9); (h)(1)

Product List (CHPL) ID(s) and Link(s):

- 15.04.04.1385.EHRe.05.01.0.221130
- <https://chpl.healthit.gov/#/listing/11037>

Developer Real World Testing Page URL: <http://ehrez.com/certification.html>

Timeline and Milestones for Real World Testing CY 2025

- 1Q-2025: Health IT system is fully enabled for use in real world testing.
- 3Q-2025. Begin making plans to collect data for RWT measures. If necessary, engage clients to ask for their support and participation in real world testing.
- 4Q-2025. During the last quarter of the year, the CY 2025 real world test results will be captured according to our test plan. We also complete work for next year's Real World Test Plan and submit it by November 1, 2025.
- February 1, 2026. Real World Test Report will be completed and submitted according to ONC and ONC-ACB requirements and expectations.

Standards Updates (SVAP)

Currently, we are using all required [ONC Certification Program](#) standard version(s) unless noted differently below. Next year we will be updating our EHR to support the new standard versions according to the HTI-1 rule, including USCDI v3, and based on when we complete these updates, new SVAP version(s) may be captured in our CY 2025 RWT test results, and if so, we will note that in our CY 2025 RWT test report.

Standard (and version)	All standards versions including USCDI v1 are those specified in ONC Certification Program criteria.
Method used for standard update	N/A
Date of ONC-ACB notification	N/A
Date of customer notification (SVAP only)	N/A
USCDI-updated criteria	This plan documents the support of all USCDI v1 data elements.

Real World Testing Measurements

The measurements for our real world testing plan are described below. Each measurement contains:

- Associated ONC criteria
- Testing Methodology used
- Description of the measurement/metric
- Justification for the measurement/metric
- Expected outcomes in testing for the measurement/metric
- Number of client sites to use in testing (if applicable)
- Care settings which are targeted with the measurement/metric

In each measurement evaluation, we elaborate specifically on our justification for choosing this measure and the expected outcomes. All measurements were chosen to best evaluate compliance with the certification criteria and interoperability of exchanging electronic health information (EHI) within the certified EHR.

Testing Methodologies

For each measurement, a testing methodology is used. For our test plan, we use the following methodologies.

Reporting/Logging: This methodology uses the logging or reporting capabilities of the EHR to examine functionality performed in the system. A typical example of this is the measure reporting done for the automated measure calculation required in 315(g)(2), but it can also be aspects of the audit log or customized reports from the EHR. This methodology often provides historical measurement reports which can be accessed at different times of the year and evaluate interoperability of EHR functionality, and it can serve as a benchmark for evaluating real world testing over multiple time intervals.

Survey and Self-Reporting/Self-Testing: This methodology evaluates interoperability and compliance of EHR Module capabilities through feedback from users. This methodology can provide insight into how clinicians employ and use a feature which reveals actual value and impact of interoperability of the EHR Module.

Care and Practice Settings Targeted

Our EHR is primarily targeted to general ambulatory practices in the Puerto Rico market, and our measures were designed for this setting in mind. In each measure, we do also address the care settings targeted and note any necessary adjustment or specific factor to consider with this specific measure.

Summary of Measure Use Case Approach

For the real world testing criteria, our customers heavily use the electronic prescribing and patient portal functions, and we have developed use case with reporting measures describing their interoperability use. These measure use cases will give us a clear insight into the interoperability functionality of these criteria.

However, some of our criteria are not currently used by our physician clients, and this includes exchange C-CDAs and API access. We will attempt to capture metrics of use, but it is possible our numbers will be low or zero due to how our physicians use our EHR.

Finally, some of our certified RWT criteria such as clinical quality measure, data export, immunization submission, and Direct exchange capabilities have not been used previously by clients, but the physician users are best able to confirm them so we will have them self-test and report back metrics. If any problems are reported, we will investigate and resolve the non-compliances.

RWT Measure #1. Number of NewRx Prescriptions Messages Successfully Sent

Associated Criteria: 315(b)(3)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many NewRx electronic prescriptions were created and successfully sent from the EHR Module to a pharmacy destination over the course of a given interval.

The interval for this measure will be for a minimum of one (1) consecutive month during the calendar year. This will ensure a sufficient time to gauge and measure interoperability.

Measurement Justification

This measure will provide a numeric value to indicate both the how often this interoperability feature is being used as well as its compliance to the requirement. An increment to this measure indicates that the EHR can create a NewRx SCRIPT electronic prescription message and transmit it to a pharmacy, typically via the Surescripts Network.

Measurement Expected Outcome

The measurement will produce numeric results over a given interval. We will utilize various reports and audit logs, including Automated Measure (315.g.2) reports, to determine our measure count.

A successful measure increment indicates compliance to the underlying ONC criteria. It will show that the EHR can create the NewRx message and send it over a production network, like the Surescripts Network, to a pharmacy. Successfully completing this measure also implies users have a general understanding of the EHR functional operations for this EHR Module and an overall support for the user experience while not completing this measure may indicate lack of understanding or possibly lack of use or need for this functionality.

We will use the measure count to establish a historic baseline of expected interoperability use so it can be used in subsequent real world testing efforts.

Care Settings

We designed this measure to test the ambulatory clinics in Puerto Rico where our EHR is marketed and used.

RWT Measure #2. Number of Patients Given Access to Portal

Associated Criteria: 315(e)(1)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many patients are given login access to their patient portal account over the course of a given interval.

The interval for this measure will be for a minimum of one (1) consecutive month during the calendar year. This will ensure a sufficient time to gauge and measure interoperability.

Measurement Justification

This measure will provide a numeric value to indicate how often this interoperability feature is being used. An increment to this measure indicates that the EHR can supply patient health data to the patient portal and provide an account for the patient to use in accessing this data.

Measurement Expected Outcome

The measurement will produce numeric results over a given interval. We will utilize various reports and audit logs, including Automated Measure (315.g.2) reports, to determine our measure count.

A successful measure increment indicates compliance to the underlying ONC criteria. It will show that the EHR can submit patient health data to the patient portal on a regular and consistent basis as well provide an account for the patient to use in accessing this data. Successfully completing this measure also implies users have a general understanding of the EHR functional operations for this EHR Module and an overall support for the user experience while not completing this measure may indicate lack of understanding or possibly lack of use or need for this functionality.

We will use the measure count to establish a historic baseline of expected interoperability use so it can be used in subsequent real world testing efforts.

Care Settings

We designed this measure to test the ambulatory clinics in Puerto Rico where our EHR is marketed and used.

RWT Measure #3. Number of Patients Who Accessed/Logged in to Portal

Associated Criteria: 315(e)(1)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many patients are successfully logged into and accessed their patient portal account over the course of a given interval.

The interval for this measure will be for a minimum of one (1) consecutive month during the calendar year. This will ensure a sufficient time to gauge and measure interoperability.

Measurement Justification

This measure will provide a numeric value to indicate both the how often this interoperability feature is being used as well as its compliance to the requirement. An increment to this measure indicates that patients can log into their patient portal to view, download, or transmit their health data.

Measurement Expected Outcome

The measurement will produce numeric results over a given interval. We will utilize various reports and audit logs, including Automated Measure (315.g.2) reports, to determine our measure count.

A successful measure increment indicates compliance to the underlying ONC criteria. It will show that patients can log into their patient portal to view, download, or transmit their health data. Successfully completing this measure also implies users have a general understanding of the EHR functional operations for this EHR Module and an overall support for the user experience while not completing this measure may indicate lack of understanding or possibly lack of use or need for this functionality.

We will use the measure count to establish a historic baseline of expected interoperability use so it can be used in subsequent real world testing efforts.

Care Settings

We designed this measure to test the ambulatory clinics in Puerto Rico where our EHR is marketed and used.

RWT Measure #4. Number of Downloads from Patient Portal

Associated Criteria: 315(e)(1)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many C-CDAs or human readable PDFs are created and successfully downloaded from the patient portal over the course of a given interval.

The interval for this measure will be for a minimum of one (1) consecutive month during the calendar year. This will ensure a sufficient time to gauge and measure interoperability.

Measurement Justification

This measure will provide a numeric value to indicate both the how often this interoperability feature is being used as well as its compliance to the requirement. An increment to this measure indicates that the patient portal can create a C-CDA patient summary record, including ability to record all clinical data elements, and download the patient summary for the patient to use.

Measurement Expected Outcome

The measurement will produce numeric results over a given interval. We will utilize various reports and audit logs, to determine our measure count. While we do not believe this capability is widely used by our patient population, this measure will provide us with an objective means to confirm it.

A successful measure increment indicates compliance to the underlying ONC criteria. It will show that the EHR can create the C-CDA patient summary record, including ability to record required clinical data elements. In sending the C-CDA patient summary record, the EHR will demonstrate ability to confirm successful interoperability of an exchanged patient record with a 3rd party. Successfully completing this measure also implies users have a general understanding of the EHR functional operations for this EHR Module and an overall support for the user experience while not completing this measure may indicate lack of understanding or possibly lack of use or need for this functionality.

We will use the measure count to establish a historic baseline of expected interoperability use so it can be used in subsequent real world testing efforts.

Care Settings

We designed this measure to test the ambulatory clinics in Puerto Rico where our EHR is marketed and used.

RWT Measure #5. Number of Email Transmissions from Patient Portal

Associated Criteria: 315(e)(1)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many C-CDAs are created and successfully emailed from the patient portal to a 3rd party over the course of a given interval.

The interval for this measure will be for a minimum of one (1) consecutive month during the calendar year. This will ensure a sufficient time to gauge and measure interoperability.

Measurement Justification

This measure will provide a numeric value to indicate both how often this interoperability feature is being used as well as its compliance to the requirement. An increment to this measure indicates that the patient portal can create a C-CDA patient summary record, including ability to record all clinical data elements, and by sending the C-CDA patient summary record, the patient portal demonstrates successful interoperability of an exchanged patient record with a 3rd party.

Measurement Expected Outcome

The measurement will produce numeric results over a given interval. We will utilize various reports and audit logs, to determine our measure count. While we do not believe this capability is widely used by our patient population, this measure will provide us with an objective means to confirm it.

A successful measure increment indicates compliance to the underlying ONC criteria. It will show that the EHR can create the C-CDA patient summary record, including ability to record required clinical data elements. In sending the C-CDA patient summary record, the EHR will demonstrate ability to confirm successful interoperability of an exchanged patient record with a 3rd party. Successfully completing this measure also implies users have a general understanding of the EHR functional operations for this EHR Module and an overall support for the user experience while not completing this measure may indicate lack of understanding or possibly lack of use or need for this functionality.

We will use the measure count to establish a historic baseline of expected interoperability use so it can be used in subsequent real world testing efforts.

Care Settings

We designed this measure to test the ambulatory clinics in Puerto Rico where our EHR is marketed and used.

RWT Measure #6. Number of Transition of Care C-CDAs Successfully Sent

Associated Criteria: 315(b)(1), (h)(1)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many C-CDAs are created and successfully sent from the EHR Module to a 3rd party via Direct messaging during a transition of care event over the course of a given interval.

The interval for this measure will be three (3) months.

Measurement Justification

This measure will provide a numeric value to indicate both how often this interoperability feature is being used as well as its compliance to the requirement. An increment to this measure indicates that the EHR can create a C-CDA patient summary record, including ability to record all clinical data elements, and by sending the C-CDA patient summary record, the EHR demonstrates successful interoperability of an exchanged patient record with a 3rd party. This measurement shows support for Direct Edge protocol in connecting to a HISP for successful transmission.

Measurement Expected Outcome

The measurement will produce numeric results over a given interval. We will utilize various reports and audit logs, including Automated Measure (315.g.2) reports, to determine our measure count.

A successful measure increment indicates compliance to the underlying ONC criteria. It will show that the EHR can create the C-CDA patient summary record, including record required clinical data elements. In sending the C-CDA patient summary record, the EHR will demonstrate ability to confirm successful interoperability of an exchanged patient record with a 3rd party, including support for Direct Edge protocol in connecting to a HISP. Successfully completing this measure also implies users have a general understanding of the EHR functional operations for this EHR Module and an overall support for the user experience while not completing this measure may indicate lack of understanding or possibly lack of use or need for this functionality. If there are any errors, we will record this and investigate as necessary.

We will use the measure count to establish a historic baseline of expected interoperability use so it can be used in subsequent real world testing efforts.

Care Settings

We designed this measure to test the ambulatory clinics in Puerto Rico where our EHR is marketed and used.

RWT Measure #7. Number of C-CDAs Received and/or Incorporated Associated Criteria: 315(b)(2)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many C-CDAs are successfully received and/or incorporated upon receipt from a 3rd party via Direct messaging during a transition of care event over the course of a given interval.

The interval for this measure will be three (3) months.

Measurement Justification

This measure will provide a numeric value to indicate both how often this interoperability feature is being used as well as its compliance to the requirement. An increment to this measure indicates that the EHR can receive a C-CDA patient summary record, and by incorporating the C-CDA patient summary record, the EHR demonstrates successful interoperability of problems, medications, and medication allergies of patient record with a 3rd party. This measurement shows support for Direct Edge protocol in connecting to a HISP for successful transmission.

Measurement Expected Outcome

The measurement will produce numeric results over a given interval. We will utilize various reports and audit logs, including Automated Measure (315.g.2) reports, to determine our measure count.

A successful measure increment indicates compliance to the underlying ONC criteria. It will show that the EHR can receive a C-CDA patient summary record. In incorporating the C-CDA patient summary record, the EHR will demonstrate successful interoperability of problems, medications, and medication allergies of patient record with a 3rd party, including support for Direct Edge protocol in connecting to a HISP. Successfully completing this measure also implies users have a general understanding of the EHR functional operations for this EHR Module and an overall support for the user experience while not completing this measure may indicate lack of understanding or possibly lack of use or need for this functionality. If there are any errors, we will record this and investigate as necessary.

We will use the measure count to establish a historic baseline of expected interoperability use so it can be used in subsequent real world testing efforts.

Care Settings

We designed this measure to test the ambulatory clinics in Puerto Rico where our EHR is marketed and used.

RWT Measure #8. Number of API Client Applications Connected to our EHR

Associated Criteria: 315(g)(7), (g)(9)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many successful API queries of patient data elements from the EHR Module to a 3rd party via API over the course of a given interval.

The interval for this measure will be three (3) months.

Measurement Justification

This measure will provide a numeric value to indicate both how often this interoperability feature is being used as well as its compliance to the requirement. An increment to this measure indicates that a 3rd party client can connect to our EHR and query the clinical resources of the patient health record via the API interface and thus demonstrate API interoperability.

Measurement Expected Outcome

The measurement will produce numeric results over a given interval. We will utilize various reports and audit logs to determine our measure count.

A successful measure increment indicates compliance to the underlying ONC criteria. It will show that a 3rd party client can be authenticated, that the patient record can be properly identified and selected, and that the EHR can make patient data accessible via its API interface. Successfully completing this measure also implies the public API documentation is accurate and sufficient for 3rd parties to connect and use the API while not completing this measure may indicate lack of understanding or possibly lack of use or need for this functionality.

We will use the measure count to establish a historic baseline of expected interoperability use so it can be used in subsequent real world testing efforts.

Care Settings

We designed this measure to test the ambulatory clinics in Puerto Rico where our EHR is marketed and used.

RWT Measure #9. Number of EHI Exports Run

Associated Criteria: 315(b)(10)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many patients requested and received EHI exports of their health information by the EHR Module over the course of a given interval. We will also include results for any patient population exports done by a provider.

Measurement Justification

Exporting patient EHI is necessary for patients to have a comprehensive view of their health information. This measure will include two metrics: the number of single patient EHI exports and the number of patient population exports.

Both metrics will be reported as numeric values, include both success and errors, to indicate how often this interoperability feature is being used as well as its compliance to the requirement, namely that the EHR can create an export of patient EHI in a computable format, both for individual patients and entire patient populations.

Measurement Expected Outcome

The measurement will produce numeric results of attempted and completed EHI Export of Patient EHI, both success and error, by the EHR Module over a given interval. We will likely utilize a database report to determine our measure count.

We expect this test will be completed with few, if any, technical errors, although we may observe some user-driven errors unrelated to the functionality of the EHR software. We will examine results to evaluate the performance of the EHR Module.

A successful export indicates compliance with the underlying ONC criteria and that the EHR can create an export of all patient's EHI. Successfully completing this measure also implies users have a general understanding of the EHR functional operations for this EHR Module and an overall support for the user experience. Any observed errors may indicate either lack of understanding by the user, configuration setup issues, or product errors, and we will investigate as necessary.

If none of our chosen sites have records of any patient requested EHI Exports, we will substitute a test with synthetic patient data in an environment that mirrors production use.

Care Settings

We designed this measure to test the ambulatory clinics in Puerto Rico where our EHR is marketed and used.

RWT Measure #10. What are the number of and specific Quality Measures Successfully Reported on to regulatory agencies each year?

Associated Criteria: 315(c)(1)-(c)(3)

Testing Methodology: Survey and Self-Reporting/Self-Testing

Measurement Description

This is a survey measure to determine how many quality measures are calculated and submitted from the EHR each year?

Measurement Justification

This measure will survey users to determine real world interoperability and usability, specifically how eQMs are calculated and submitted as QRDA Category III to CMS or other entities.

A survey or self-testing can often provide more information on the impact and value of an interoperability element than a standard software test evaluation. We do not believe our users are regularly submitting clinical quality measures to CMS, but this self-test survey measure will reveal if users are doing so with our EHR. It will show if our EHR is being used to capture, calculate, and submit eQMs so that this measure covers all three of the CQM criteria (315(c)(1)-(c)(3)).

If users report any problems with this feature, we will then commence work to address any non-compliance.

Measurement Expected Outcome

The user will be asked the survey question and given the survey answer choices below:

- This year – list specific eCQM
- Not this year but previous years – list specific eCQM
- Not this year or previous years
- Don't Know

The answer will provide insight into how clinicians view both the use and value of this interoperability feature. For example, response may show that additional training is needed to better utilize the feature or that it is not currently utilized as currently designed. It will provide a benchmark for evaluating future surveys as well as to share insight into any new development for improvements or enhancements of the health IT system.

Care Settings

We designed this measure to test the ambulatory clinics in Puerto Rico where our EHR is marketed and used.

RWT Measure #11. Do you connect with IIS/immunization registries? If so, how many transmissions do you send monthly? If not, when do you expect to connect to an IIS (Within next year, next 1-2 years, next 3-5 years, don't know)?

Associated Criteria: 315(f)(1)

Testing Methodology: Survey and Self-Reporting/Self-Testing

Measurement Description

This is a survey measure to determine the use of immunization public health registries.

Measurement Justification

This measure will survey users to determine real world interoperability and usability, specifically many different immunization information systems (IIS) or public health immunization registries are used by the provider.

We do not believe our customer base is regularly using this feature as Puerto Rico has only recently announced plans for a IIS system, but we will evaluate its use with our customers through a survey with user self-reporting/self-testing to provide insight.

A survey can often provide more information on the impact and value of an interoperability element than a standard software test evaluation. This survey measure will the number and names of immunization public health registries which are integrated with the EHR.

If users report any problems with this feature, we will then commence work to address any non-compliance.

Measurement Expected Outcome

The user will be asked the survey question and given the survey answer choices below:

- Numeric answer to the question, and if willing, the names of the other systems.
- If none, do you expect to connect to an IIS:
 - a. Within next year
 - b. Next 1-2 years
 - c. Next 3-5 years
 - d. Don't know

The answer will provide insight into how clinicians view both the use and value of this interoperability feature. For example, response may show that additional training is needed to better utilize the feature or that it is not currently utilized as currently designed. It will provide a benchmark for evaluating future surveys as well as to share insight into any new development for improvements or enhancements of the health IT system.

Care Settings

We designed this measure to test the ambulatory clinics in Puerto Rico where our EHR is marketed and used.

RWT Measure #12. Do you use Direct messaging for provider communication? If yes, how often do you use it each month, and if not, how do you otherwise share clinical information with other providers. If not, what would be needed to utilize Direct in real world communication, if anything?

Associated Criteria: 315(h)(1)

Testing Methodology: Survey and Self-Reporting/Self-Testing

Measurement Description

This is a survey measure to determine if Direct messaging is used and if not, what alternatives are in place.

Measurement Justification

This measure will survey users to determine real world interoperability and usability, specifically if Direct messaging is being used to exchange clinical data.

While we do not believe our customer base is regularly using this feature, we believe a survey with user self-reporting/self-testing would provide insight into its viability and functionality.

A survey can often provide more information on the impact and value of an interoperability element than a standard software test evaluation. This survey measure will reveal the number of Direct exchanges currently employed, how they are used, and if not used, then what changes are needed to encourage its use.

Measurement Expected Outcome

The user will be asked the survey question and given the survey answer choices below:

- Regularly – How do you use this functionality in production?
- Sporadically – How do you use this functionality in production?
- Rarely – How do you use this functionality in production?
- Never – How then do you share clinical information with other providers and what changes would be need in your environment or workflow use cases to decide to utilize Direct messaging?
- Don't Know

The answer will provide insight into how clinicians view both the use and value of this interoperability feature. For example, response may show that additional training is needed to better utilize the feature or that it is not currently utilized as currently designed. It will provide a benchmark for evaluating future surveys as well as to share insight into any new development for improvements or enhancements of the health IT system.

Care Settings

We designed this measure to test the ambulatory clinics in Puerto Rico where our EHR is marketed and used.